

# Presuppositions of quantified sentences: Experimental Data\*

Emmanuel Chemla

Laboratoire de Sciences Cognitives et Psycholinguistique, EHESS/CNRS/DEC-ENS, Paris, France

Last modification: December 12, 2008

## Abstract

Some theories (e.g., Beaver, 1994, 2001) assume that sentences with presupposition triggers in the scope of a quantifier carry an existential presupposition, as in (2), others (e.g., Heim, 1983 or Schlenker, 2008a,b) assume that they carry a universal presupposition, as in (3).

- (1) No student knows that he is lucky.
- (2) Existential presupposition: At least one student is lucky.
- (3) Universal presupposition: Every student is lucky.

This work is an experimental investigation of this issue. In short, naive speakers were recruited to evaluate the robustness of the inference from (1) to (3). The first result is that presuppositions triggered from the scope of the quantifier No are universal. More importantly, the present results suggest that the presuppositions triggered from the scope of a given quantifier depend on the quantifier

## 1 Theoretical situation

### 1.1 Presuppositions as inferences

Each of the sentences below presupposes that John is lucky:

- (1) a. John knows that he's lucky.
- 5 b. John doesn't know that he's lucky.
- c. Does John know that he's lucky?

Intuitively, this amounts to saying that these sentences are more natural in conversations where participants agree, or are likely to agree, that John is lucky (e.g., Stalnaker, 1970, 1973, 1974, Karttunen, 1974). As a result, presuppositions can be treated as inferences: a speaker who utters a sentence which triggers a presupposition p is committed to p being true. The inferential process at play is called “(global) accommodation” and it is only through this prism that presuppositions will be approached.

Let's go back to what's interesting about (1). The sentence in (1b) is the negation of (1a) and these two sentences should thus roughly convey opposite meanings, but they do not: both of them imply that John is lucky. Similarly, the third sentence (1c) is a question, it questions the truth of (1a) but yet it still implies that John is lucky. In short, presuppositions are inferences or pieces of meaning which resist negation and interrogation. The paradigm in (1) illustrates the projection problem of presupposition: how do presuppositions interact with various embeddings and various linguistic operators?

---

\*I am very grateful to Philippe Schlenker, he contributed to every stage of this work. I am also grateful to David Beaver, Simon Charlow, Anne Christophe, Paul Égré, Anne-Caroline Fievet, Danny Fox, Vincent de Gardelle, Bart Geurts, Ben George, Irene Heim, Christophe Pallier, Raj Singh, Benjamin Spector, Alba Tuninetti and Inga Vendelin for their invaluable help, be it practical or theoretical. Earlier versions of this work were presented at the OSU Workshop on Presupposition Accommodation in 2006 with the support of the National Science Foundation under Grant No. BCS-0548305, at the LF reading-group at MIT and at the Xprag conference in Berlin in 2007, at the UCL colloquium and at the DIP colloquium of the ILLC in 2008. I am grateful for lively discussions on each of these occasions. Part of this work was supported by a 'Euryi' grant from the European Science Foundation (“Presupposition: A Formal Pragmatic Approach”).

## 1.2 The projection problem of presupposition: the case of quantified sentences

The projection problem of presupposition has received a lot of attention in the last decades. There is a large consensus about (1) and more generally, about some (propositional) fragment of natural languages: to a very large extent, current theories make the same predictions as to how presuppositions interact with negation, conjunction, disjunction and any combination of these operators.

However, the projection problem is still the subject of empirical debates and current theories predict drastically different behaviors for more complex embeddings. One crucial situation is obtained for sentences with a presupposition trigger bound in the scope of a generalized quantifier (e.g., every, most, no). This configuration is schematized in (2) and exemplified in (3):<sup>1</sup>

- (2) Quantified sentence:  $[Qx: R(x)] S_p(x)$ 
  - a. Universal presupposition:  $[\forall x: R(x)] p(x)$
  - b. Existential presupposition:  $[\exists x: R(x)] p(x)$

(3) No student knows that he's lucky.

- a. Universal presupposition: every student is lucky.
- b. Existential presupposition: (at least) one student is lucky.

This piece of data is controversial and the main purpose of this paper is to settle this controversy. On the first hand, Heim (1983) and more recently Schlenker (2008a,b) argued that sentences of the form given in (2) trigger a universal presupposition as schematized in (2a): every individual satisfying the property R expressed in the restrictor should also satisfy the presupposition triggered from the scope of the quantifier. Applied to example (3), this simply amounts to (3a): every student is lucky. On the other hand, Beaver (1994, 2001) and (as a first approximation) DRT accounts of presuppositions à la van der Sandt (1992) argued that sentences like (2)/(3) trigger much weaker existential presuppositions as schematized in (2b): some individual satisfying the restrictor also satisfies the presupposition of the scope (see (2b) and (3b)).<sup>2</sup>

Terminological note: I use the adjectives universal and existential to refer to presuppositions, inferences or predictions which fit the schemas in (2a) and (2b) as well as classes of theories which make such predictions homogeneously across quantifiers.

### Another class of theories: heterogeneous predictions

There are at least two recent proposals that differ from the ones mentioned above in that they predict universal presuppositions for some quantifiers and not others (Chemla, 2008c,d and George, 2008). I will restrict my attention to the predictions made by the similarity theory from my own work, but my goal is to make a general argument in favor of a whole class of theories which predict that presuppositions vary with

<sup>1</sup>Notation: The symbol  $Q$  stands for a generalized quantifier,  $R$  stands for its restrictor and  $S_p$  for its scope, where the subscript  $p$  indicates that this scope triggers a presupposition  $p$ . In the interesting cases, this presupposition should inherit from  $S_p$  the dependence on  $x$  and the use of  $S_p(x)$  instead of  $S_{p(x)}(x)$  is merely a shortcut.

<sup>2</sup>Both Heim's and Beaver's accounts are phrased in the general framework of dynamic semantics and they arrive at their prediction by making a different choice in the way they set up an admittance condition for presupposition (see appendix A and more discussion in chapter 10 of Kadmon, 2001). In a sense, this reduces the strength of both of these accounts from the start: no matter what the actual data is, these accounts will lack explanatory power (see discussion in Soames, 1989 and Schlenker, 2008a). Hence, it is important to mention that Schlenker's theories are committed to the universal presupposition while DRT accounts cannot derive them.

quantifiers.<sup>3,4</sup>

50 In a nutshell, the similarity theory requires that presuppositions and their negations be locally trivial. The relevant formal apparatus is sketched in appendix B. Of main importance are the following predictions for quantified sentences (these predictions are also represented graphically in figure 1):

- (4) Each student knows that he's lucky.  
↗↗ Each student is lucky.
- 55 (5) More than 3 students know that they're lucky.  
↗↗ More than 3 students are lucky and less than 3 aren't.
- (6) Many students know that they're lucky.  
↗↗ Many students are lucky.
- (7) Most students know that they're lucky.  
60 ↗↗ Most students are lucky.
- (8) No student knows that he's lucky.  
↗↗ Each student is lucky.
- (9) Less than 3 students know that they're lucky.  
↗↗ At least 3 students are lucky and less than 3 aren't.
- 65 (10) Exactly 3 students know that they're lucky.  
↗↗ More than 3 students are lucky, and it's not the case that exactly 3 of them aren't.
- (11) Few students know that they're lucky.  
↗↗ Few students aren't lucky (i.e. Most students are lucky).

At this point, it is most important to notice that the predictions vary from one quantifier to the next, contrary  
70 to homogeneously universal or existential theories. In short, the similarity theory predicts a universal presupposition for No-sentences (see (8)) and weaker presuppositions for most other quantifiers (this particular aspect is common to George's 2008 theory).

### 1.3 Scalar implicatures: a convenient control

#### 1.3.1 (Indirect) scalar implicatures: introduction

75 Scalar implicatures are pragmatic inferences which will provide a very convenient point of comparison. More specifically, indirect scalar implicatures will be of particular interest for our purposes: these involve a strong scalar item in a downward entailing context. This situation is illustrated in (12a) from which it is natural to conclude that John read some of the books.

- (12) a. John didn't read all the books.
- 80 b. Alternative: John didn't read any of the books.
- c. Scalar implicature: John read some of the books.  
(negation of the stronger alternative, the two negations cancel each other out)

---

<sup>3</sup> At the time when the first version of this work was done and distributed, none of these two accounts were serious proposals.

<sup>4</sup> In fact, Heim's and Beaver's dynamic accounts could emulate differences between quantifiers but any such move would cast further doubt on the enterprise by weakening further the explanatory power of the framework (see also footnote 2). It would also raise new issues for their enterprise: what distinguishes the quantifiers so that they have different dynamic behavior? How do children acquire these differences? What explains the cross-linguistic stability (or variability) of these differences?

The scalar implicature of (12a) can be derived as follows (e.g., Grice, 1967, Ducrot, 1969, Horn, 1972, Atlas and Levinson, 1981). Let us assume that the phrases ‘any’ and ‘all’ belong to a *scale* so that each time  
 85 a sentence containing one of these words is uttered, it is compared with the minimally different sentence  
 where this word is replaced by the other word in the scale. As a result, (12b) is an alternative to (12a): ‘any’  
 replaces ‘all’ and the rest is left unchanged.<sup>5</sup> Now notice that this alternative sentence is logically stronger  
 than the original sentence. Nonetheless, it has been disregarded by the speaker: this calls for an explanation  
 and the most natural explanation is to conclude that this alternative sentence is actually false. The negation  
 90 of the alternative (12b) is indeed equivalent to the attested inference (12c).

### 1.3.2 The projection solution for scalar implicatures

This sketch of a theory makes immediate predictions for all sorts of sentences containing the lexical item  
 ‘all’ (and ‘any’ for that matter). In a sense, it is a solution to what could be thought of as the projection  
 problem for scalar implicatures. Most current accounts of scalar implicatures make the same predictions  
 95 for the examples we will be interested in: alternative sentences get negated whenever they can be negated  
 consistently with the bare meaning of the sentence. The reader can check that this predicts the following  
 inferences from ‘all’ to ‘some’ (these predictions are also represented graphically in figure 1 together with  
 corresponding predictions from various theories of presupposition):


- (13) John read all the books.  
 100     ↗ John read (at least) some of the books.
- (14) Each student read all the books.  
        ↗ Each student read (at least) some of the books.
- (15) More than 3 students read all the books.  
        ↗ More than 3 students read (at least) some of the books.
- 105 (16) Many students read all the books.  
        ↗ Many students read (at least) some of the books.
- (17) Most students read all the books.  
        ↗ Most students read (at least) some of the books.
- (18) No student read all the books.  
 110     ↗ (At least) one student read (at least) some of the books.
- (19) Less than 3 students read all the books.  
        ↗ (At least) 3 students read (at least) some of the books.
- (20) Exactly 3 students read all the books.  
        ↗ More than 3 students read (at least) some of the books.
- 115 (21) Few students read all the books.  
        ↗ Not few students read (at least) some of the books.

For the first examples (13)-(17) above, the prediction simply follows from the bare meaning of the sentence.<sup>6</sup>  
 The case of (18) involving the quantifier No is of particular interest: the predicted inference is existential.  
 If presuppositions project existentially from the scope of No, they should be similar to scalar implicatures,

<sup>5</sup>In fact, ‘any of’ seems to be replacing ‘all’ in this example. I leave this issue out of this rather informal discussion, as well as  
 a proper discussion of the respective role of ‘any’ and its positive counterpart ‘some’ to the theory.

<sup>6</sup>This is a general result when ‘all’ is embedded in an upward monotonic environment.

120 if they project universally we should find clear differences between the two types of inferences. This will provide an ideal point of comparison in the first experiment below. The rest of these predictions will be re-introduced and discussed as we go.



## 1.4 Goals and organization of the paper

125 The main goal of this paper is to provide a controlled empirical basis for theories of presupposition projection. The main question to be answered is: do presuppositions project universally from the scope of quantifiers? The results of experiment 1 will show that presupposition triggers give rise to universal inferences when they occur in the scope of the quantifier No but not when they occur in the scope of other quantifiers. More quantifiers (and environments) are investigated in experiment 2 and the results confirm that the robustness of the universal inference varies with the quantifier.

130 Eventually, I will argue that participants endorsed universal inferences on the basis of 1) the presuppositions of quantified sentences which depend on the quantifier and are most often intermediate between existential and universal and 2) a general strengthening mechanism which also applies to scalar implicatures.

## 2 Experiment 1: Differences between quantifiers

135 The goal of this first experiment is to tell whether presuppositions project universally when triggered from the scope of the quantifiers Each, No, Less than 3, More than 3 and Exactly 3. (The case of Each mainly serves as a baseline because the potential universal presupposition also comes up as an entailment in this case).

## 2.1 Methodology

As discussed above, if a sentence *S* triggers a presupposition *p*, an occurrence of *S* by a reliable speaker licenses the inference that *p* is true. The present experimental paradigm capitalizes on this fact: naive speakers were asked whether they would infer from an utterance of *S* (by a reliable speaker) that the alleged presupposition of *S* holds. Figure 2 mimics what participants actually saw on the computer screen. The verb “to suggest” (“suggérer” in French) articulated the two sentences but the intended meaning for this word was clarified in the instructions (more on this below and in Appendix C).

“None of these 10 students knows that his father will receive a congratulation letter.”  
*suggests that:*  
The father of each of these 10 students will receive a congratulation letter.  
*No?* *Yes?*

Figure 2: Example of a trial involving the presupposition trigger ‘know’

### 2.1.1 Instructions: context and clarification of the task

The participants to the experiment first read instructions given on a piece of paper. These instructions are reproduced in Appendix C. They were designed for two main goals:

- To set up a natural context for the task. Importantly, it aimed at establishing the reliability of the “speaker”. In essence, the participants were told to consider that a well-informed and honest teacher utters a sentence (the sentence between quotation marks in the example in Figure 2). Their task was to tell whether such an utterance licenses (or “suggère”) the proposed inference.<sup>7</sup>
- To clarify the task and the intended interpretation of the verb “suggest”. This was done mainly with the help of two examples. The first example was a clearly valid entailment and subjects were told that they were expected to endorse such inferences. This example was provided so that participants would not resist logical conclusions. The second example showed that intuitions should be favored: it was a case of disfavored conversational implicature where it was made explicit that responses may vary.

Having read these instructions, participants were left alone with a dmdx program which presented the items described below one by one in random order. They were asked to position their index fingers on the yes and no buttons so that they could provide their answers as soon as they made up their mind. (The yes and no buttons corresponded respectively to the P and A keys of a French keyboard. It was indicated on the keys themselves). The first two trials were the exact examples provided in the instructions to allow participants to get used to the general setting of the experiment.

### 2.1.2 Participants

The experiment was carried out in French; 30 native speakers of French aged from 18 to 35 years old were recruited to take part in the experiment. They were paid a small fee. Participants were mainly university

<sup>7</sup>It is important to notice that the content of these items were (intuitively) natural in this context. For instance, back to the example in Figure 2, it is easy to imagine that teachers mention letters they agreed to send to congratulate their students.

students in humanities (none of them had any relevant background in linguistics).

## 2.2 Material

The items had the general format for a classical inferential task. Each item contained two main sentences. The first sentence, henceforth the premise, was presented between quotation marks: it was to be understood as a sentence uttered in the context previously set up. The second main sentence, henceforth the conclusion, conveyed the alleged inference which the participants had to evaluate. Schematically, the items were of the following form:

$$(22) \quad "E_1(I_1)" \rightsquigarrow E_2(I_2)$$

In (22),  $E_1(I_1)$  represents the premise and  $E_2(I_2)$  the conclusion.  $E_1$  and  $E_2$  represent linguistic environments (e.g., the scope of a quantifier like Each or No) and  $I_1$  and  $I_2$  represent some inference which could be embedded in these environments (e.g.,  $I_1$  could be a phrase involving a factive verb and  $I_2$  its presupposition, i.e. roughly, the complement of this factive verb).

The experimental items were obtained by combining systematically 10 pairs of environments  $\langle E_1(\_), E_2(\_) \rangle$  with 27 inferences  $(I_1, I_2)$  among which 10 were presuppositional. I first describe the environments and then the inferences. The most important items are exemplified in (25) to (29). Importantly, appendix D details how two potential problems were taken care of: implicit domain restrictions and potential ambiguities due to the pronoun.

### 2.2.1 Environments ( $E_1, E_2$ )

The pairs of environments were designed to test the projection properties of presupposition, and as a control, of scalar implicatures. The whole list of pairs of environments that were used is described below (see also (66) in appendix E):<sup>8</sup>

#### Non-quantified environments

$\langle \text{John}\_, \text{John}\_ \rangle$ ,  $\langle \text{I doubt that John}\_, \text{John}\_ \rangle$ : these pairs of environments allow to test for the projection behavior in simple positive sentences and under negation.<sup>9</sup> For instance, these environments lead to the following examples:

(23) John knows that his father is going to receive a congratulation letter.  
 $\rightsquigarrow$  John's father is going to receive a congratulation letter.

(24) I doubt that John knows that his father is going to receive a congratulation letter.  
 $\rightsquigarrow$  John's father is going to receive a congratulation letter.

#### Universal inferences

$\langle \text{Each}, \text{Each} \rangle$ ,  $\langle \text{No}, \text{Each} \rangle$ ,  $\langle \text{Less than 3}, \text{Each} \rangle$ ,  $\langle \text{More than 3}, \text{Each} \rangle$ ,  $\langle \text{Exactly 3}, \text{Each} \rangle$ : these pairs of environments were used to test universal inferences (the second quantifier is always universal here) from the scope of various quantifiers. These lead to the following items:

<sup>8</sup>The sign  $\_$  marks the position where the presupposition trigger (or more generally inference triggers which include scalar items) was inserted. The environment represented by a quantifier alone is the scope of this quantifier.

<sup>9</sup>For this first experiment, negation was mimicked with the phrase 'I doubt that' to avoid scope ambiguities.

- (25) Each of these 10 students knows that his father is going to receive a congratulation letter.  
 ~> The father of each of these 10 students is going to receive a congratulation letter.
- (26) None of these 10 students knows that his father is going to receive a congratulation letter.  
 ~> The father of each of these 10 students is going to receive a congratulation letter.
- (27) Less than 3 of these 10 students know that their father is going to receive a congratulation letter.  
 ~> The father of each of these 10 students is going to receive a congratulation letter.
- (28) More than 3 of these 10 students know that their father is going to receive a congratulation letter.  
 ~> The father of each of these 10 students is going to receive a congratulation letter.
- (29) Exactly 3 of these 10 students know that their father is going to receive a congratulation letter.  
 ~> The father of each of these 10 students is going to receive a congratulation letter.

### Scalar inferences

$\langle$ No, (At least) one $\rangle$ ,  $\langle$ Less than 3, (At least) 3 $\rangle$ ,  $\langle$ More than 3, More than 3 $\rangle$ : these pairs of environments were used to test scalar inferences (see the predictions in (14) to (21)). Corresponding items were:

- (30) None of these 10 students knows that his father is going to receive a congratulation letter.  
 ~> The father of (at least) one of these 10 students is going to receive a congratulation letter.
- (31) Less than 3 of these 10 students know that their father is going to receive a congratulation letter.  
 ~> (At least) 3 of the fathers of these 10 students is going to receive a congratulation letter.
- (32) More than 3 of these 10 students know that their father is going to receive a congratulation letter.  
 ~> More than 3 of the fathers of these 10 students is going to receive a congratulation letter.

### 2.2.2 Inferences ( $I_1, I_2$ )

The pairs ( $I_1, I_2$ ) corresponded mainly to presuppositions. For instance, a factive verb and its complement could form such a pair, and this is with such an example that the 10 pairs of environments were instantiated in (23) to (32): (knows that his father is going to receive a c.l., (his) father is going to receive a c.l.). The items were of four main types: presuppositional, scalar, cases of adverbial modification and entailments.

The presupposition triggers included: factive verbs (know and be unaware), change of state predicates (stop and continue) and definite descriptions (his). The (pairs of) scalar items were: (all, several), (and, or), (excellent, good). Entailments served as control cases (see 2.3.1) while cases of adverbial modifications can be considered as mere fillers for the present purposes.<sup>10</sup>

As far as possible, the target items were paired so that the content of the inferences varied maximally. For instance, an item involving students' fathers receiving congratulation letters was paired with an item involving students' fathers being appointed (this is normally interpreted as the negative counterpart of a congratulation letter). This was done to minimize potential effects of world knowledge biases of the following form. Imagine that people assume by default that students' fathers are very likely to be appointed. It is well known from the reasoning literature that this assumption may artificially increase acceptance rates of universal conclusions such as "Each father of these 10 students was appointed", independently of any particular utterance (Evans et al., 1983, Torrens et al., 1999). However, this very same bias should disfavor inferences towards conclusions that "Each father of these 10 students received a congratulation letter".

<sup>10</sup>The corresponding data were analyzed in a different venue (Chemla, 2008b) with a different perspective: a direct comparison of various types of inferences rather than a study of presupposition.



Thus, varying the content of the inferences should rule out explanations of high acceptance rates based on a priori world knowledge.

### 2.2.3 Summary: the material in numbers

The building blocks of the experimental items are 27 “inferential pairs” ( $I_1, I_2$ ) (including 5 different presupposition triggers associated with two different contents each) and 10 pairs of environments  $\langle E_1, E_2 \rangle$ . The experiment thus contains  $27 \times 10 = 270$  trials,  $(5 \times 2)$  contents  $\times$  5 universal tests = 50 of which are the universal presupposition targets corresponding to the main results reported in figure 5.

## 2.3 Results

### 2.3.1 Control results: safe methodology

Among the 270 trials, 40 were constructed from simple monotonicity inferences which presumably should not involve implicatures or presuppositions (i.e. the four examples in appendix E under (73) as they appear in the 10 different environments exemplified for presupposition in (25) to (32)). These items naturally receive a “logical” answer (e.g., (73a) is valid, (73b) is not). Subjects responded accordingly 90% of the time.

Similarly, the experiment involved uncontroversial cases with presuppositions: items where a presupposition trigger is embedded in a non quantified environments (see (23) and (24)) or when the premise and the conclusion involve the same upward monotonic quantifier (examples (25) and (32) above). Again, subjects answered as expected in 92% of these cases.

### Another verification: strategies?

One may also want to check that subjects did not develop problematic strategies in the course of this long experiment. To see this, we can track differences between the first and the second halves of the items by computing the  $4 \times 10 \times 2$  ANOVA taking into account the following factors: types of inference vs. environments vs. blocs (i.e. first/second half of the experiment). We obtain no evidence that there was any relevant effect of bloc:  $F(27, 680) = 1.07, p = .36$ . In other words, participants responded in the same way to the items at the beginning and at the end of the experiment.

### In sum


These first results validate the experimental paradigm: despite the large number of trials, subjects answered accurately to control items and there is no evidence that participants developed strategies.

### 2.3.2 Universal inferences: the quantifier No

Do presuppositions project universally when triggered from the scope of the quantifier No? Do they project existentially? As discussed in section 1.3, scalar implicatures provide a convenient point of comparison: in this environment scalar implicatures trigger existential inferences.

Figure 3 presents the acceptance rates of existential and universal inferences for presupposition and scalar implicatures when the target sentence involves the quantifier No. These results show that 1) for scalar implicatures, universal inferences are less endorsed than existential inferences; 2) for presuppositions there

270 is no such difference.<sup>11</sup> A  $2 \times 2$  ANOVA (first factor: Presupposition vs. Implicature; second factor: ⟨No, At least one⟩ vs. ⟨No, Each⟩) reveals a statistically significant interaction ( $F(1, 29) = 16.3, p < .05$ ).



These results strongly support the hypothesis that contrary to scalar implicatures, presuppositions project universally rather than existentially when triggered from the scope of the quantifier No.

### 2.3.3 Intermediate inferences: the quantifier Less than 3

275 From the scope of Less than 3, scalar implicatures are supposed to be neither existential nor universal but rather intermediate between these two extremes: at least 3 individuals should satisfy the relevant property (see prediction in (19)). To continue using scalar implicatures as a baseline, I will not compare universal and existential inferences but rather universal and this type of scalar inference pattern (e.g., (27) vs (31)).

280 Figure 4 presents the relevant results. As in the case of No, the interaction (first factor: Presupposition vs. Implicature; second factor: scalar vs. universal inference) is significant ( $F(1, 29) = 5.15, p < .05$ ). This shows that 1) scalar implicatures project as a scalar theory would predict rather than universally and 2) that presuppositions are different. However, it is not clear in this case that this means that presuppositions project universally. In fact, these results could be taken as evidence that presuppositions give rise to inferences in-

<sup>11</sup>There seems to be a counterintuitive result: the acceptance rate of the universal inference (84%) is higher than the acceptance rate of the weaker existential inference (79%), this difference is not significant ( $t$ -test:  $F(1, 29) = 2.51, p = .12$ ). Note however that would it be significant, it would reinforce the idea that presuppositions project universally. First, recovering the existential conclusion from the universal inference involves an additional step which might be costly and decrease the acceptance rate. Second, the weaker conclusion may come with an implicature that the stronger conclusion is false, this could justify rejections of this weak conclusion.

intermediate between scalar and universal inferences,<sup>12</sup> but I will postpone this discussion until experiment 2.  
For now, I will discuss results to evaluate the status of universal presuppositions with more quantifiers.

### 2.3.4 Universal inferences: comparing quantifiers

From figures 3 and 4, it is already apparent that the robustness of the universal presupposition depends on the quantifiers (compare the second bars of each of these graph). Figure 5 focusses on such distinctions and takes into account more quantifiers. This figure reveals a clear difference in the acceptance rates of universal presuppositions when they are triggered from the scope of Each and No on the one hand (87%), and numerical quantifiers such as Less than 3, More than 3 and Exactly 3 on the other hand (53%). A two-tailed *t*-test confirms that this difference is statistically significant ( $F(1, 29) = 53.8, p < .05$ ).

These results show that while universal presuppositions are robust when triggered from the scope of No, the results are much less clear cut for other quantifiers for which the acceptance rate of the universal presupposition oscillates around 50%.

Finally, there seems to be differences between the different types of presupposition triggers involved in the experiment. There is a significant interaction between the types of presupposition triggers and the environments (restricted to the universal environments as in figures 5 and 6):  $F(8, 232) = 2.07, p < .05$ . This interaction is probably due to the fact that the universal presupposition for No-sentences is less robust for change of state predicates than for other presupposition triggers. Note however that the type of triggers does not interact with the environments if we restrict the analysis to the environments ⟨No, (At least) one⟩ vs. ⟨No, Each⟩ ( $F(2, 58) = .855, p = .431$ ) or to ⟨Less than 3, (At least) 3⟩ vs. ⟨Less than 3, Each⟩ ( $F(2, 58) = 1.17, p = .317$ ). This shows that the conclusions from sections 2.3.2 and 2.3.3 do apply uniformly to every trigger. I will come back to these results in the general discussion (4.2.3) although they are not replicated in experiment 2.

### 2.3.5 Comparing quantifiers: processing results

Finally, we can analyze the response times needed to accept or reject the universal inferences. The difference between acceptance and rejection times should reflect the time needed to derive the inference.<sup>13</sup> As is standard, response times more than 1.5 standard deviation away from the mean response times were excluded from the analysis (9.7% of the relevant trials).<sup>14</sup>


The key data are reported in figure 7. These results first show that participants are faster to accept than to reject universal inferences for No-sentences (*t*-test:  $F(1, 21) = 10.3, p < .05$ ). This result could simply be due to a general tendency to be faster to say Yes than to say No.<sup>15</sup> However, this difference vanishes for numerical quantifiers: a *t*-test yields a non-significant result ( $F(1, 29) = .95, p = .34$ ) and this pattern for numerical quantifiers is significantly different from the pattern for No as an interaction computed with a 2×2 ANOVA shows ( $F(1, 21) = 3.75, p < .05$ ).

<sup>12</sup>At first sight, this hypothesis would leave unexplained the rather low acceptance rate of the scalar inference which is entailed by the presupposition. It is not necessarily so, see discussion in footnote 11.

<sup>13</sup>An entirely similar question received important attention in the realm of scalar implicatures (e.g., Noveck and Posada, 2003; Bott and Noveck, 2004; Breheny et al., 2005): deriving a scalar implicature requires an extra processing effort. This conclusion comes from results showing that for a given stimulus (sentence), answers which involve the computation of a scalar implicature are slower. A parallel argument can be made for the present experiment: Yes and No responses to a given item indicate whether or not an inference was drawn. Therefore, time differences between Yes and No responses might reflect the time needed to derive this inference.

<sup>14</sup>Several other attempts were made and no qualitative difference was found.

<sup>15</sup>Notice for instance that all participants answered Yes with their right hand.




A cautious summary of these preliminary processing results is that they isolate further the universal inferences derived for No-sentences from similar inferences derived from other quantifiers. Less cautiously, we could argue that the universal inference derived for No-sentence comes straight from the presupposition whereas the universal inference in the other case involves something more. The results from experiment 2 will suggest that this something more is an independent probabilistic inferential process.

## 2.4 Intermediate summary

Inferences generated by a presupposition trigger embedded in the scope of a quantifier are sensitive to the quantifier: they are clearly universal for No but much less so for numerical quantifiers (Less than 3, More than 3 and Exactly 3).

This is a striking result. In the introduction, I insisted on two types of extreme positions (the existential camp and the universal camp) but the picture seems to be more complex: the robustness of the universal presupposition varies with the quantifier. Universal theories fail to explain why the predicted universal presuppositions do not give rise to universal inferences in some cases and conversely, existential theories fail to explain why existential presuppositions sometimes give rise to universal inferences. These results seem to argue in favor of a less extreme type of theories as the similarity theory discussed in 1.2.

However, there are various dimensions along which No and the numerical quantifiers used in this experiment vary. For instance, the numerical quantifiers require a plural bound pronoun and as a result, the corresponding sentences involve more ambiguities (see appendix D.2). Numerical quantifiers are also more complex (syntactically first but maybe also semantically, I come back to this idea below). Some of these considerations might explain away the results we observe independently from theories of presupposition.



In the following experiment, more quantifiers are tested and complexity considerations are tested more explicitly.

### 3 Experiment 2: more environments, graded judgments

340 The main goal of this experiment is to extend the previous investigations to more environments (more quantifiers, restrictors of quantifiers and questions). The most important finding from the previous experiment is replicated and refined: the robustness of the universal inference depends on the quantifier.

In the course of it, I also compare the robustness variations with independent measures of difficulty or scalar implicature computations. Overall, the results argue in favor of a theory of presuppositions which  
 345 allows for more options than universal and existential presuppositions (see section 1.2), coupled with an independent strengthening mechanism.


#### 3.1 Methodology

The experimental setting is mostly the same as before with two main differences: the type of responses expected from the subjects and the material (attention was restricted to universal inferences but triggered  
 350 from more environments).

##### 3.1.1 Graded judgments

In this experiment, the binary judgment task was replaced with a graded judgment task. In the relevant part of the instructions, participants were told to assess “to what extent it is natural from ⟨the premise⟩ to think that ⟨the conclusion⟩” is true. The first training example given is the same as before but now it looked as in

figure 8. Participants were instructed that for such examples they would probably set the length of the red line (with the mouse) close to the maximum (close to Yes).<sup>16</sup>



### Responses: robustness and normalized robustness

Subjects' responses were coded as the percentage of the line filled in red, 0% corresponds to absolute No answers, 100% to Yes answers. I will call this measure bare robustness (of the corresponding inference). These responses were then normalized so that the grand mean and standard deviations for each subject equal the overall grand mean and standard deviation across subjects (66% and 38% respectively). I will refer to the resulting measure as the robustness of the inference.<sup>17</sup> This standard process of normalization of the responses does not affect the following results in any noticeable way (all statistical tests were run with both types of measures). This process simply erases irrelevant variability (mainly for the graphical representations) coming from differences in the way various participants distributed their answers along the line (mean bare robustness varied from 44% to 82% across subjects).

In short: the higher normalized robustness, the more participants are willing to endorse the inference. I will restrict my attention to (normalized) robustness unless otherwise stated.<sup>18</sup>

### Validation of the task with binary judgments

Binary judgments like those prompted for experiment 1 were collected from 10 other participants with the material for this new experiment. The results were the same except for the fact that they sometimes did not reach significance.

#### 3.1.2 Participants

As before, the experiment was carried out in French; 10 native speakers of French aged from 18 to 25 years old were recruited to take part in the experiment. They were paid a small fee. Participants were mainly

<sup>16</sup>This paradigm resembles magnitude estimation as discussed for instance in Bard et al. (1996) and Cowart (1997) for its applications in syntax. The two main differences in the present experiment are that 1) the judgments that were prompted were robustness of inferences (rather than grammaticality judgments of sentences), and 2) in a standard magnitude estimation experiment, participants are explicitly instructed to represent with the line length the intuitive ratio between the stimulus and a reference point (modulus).

<sup>17</sup>The relation between robustness  $R$  and normalized robustness  $\hat{R}$  is given by:  $\hat{R} = M + \frac{R-M_s}{SD_s} SD$  where  $M$  and  $SD$  represent the mean and standard deviation for the whole group of subjects (without subscript) or for the particular subject under study (with subscript  $s$ ).  $M=.66$  and  $SD=.38$ .

<sup>18</sup>Note that robustness is not constrained to vary between 0 and 1 although I report robustness as percentage scores.

university students in humanities (none of them had any relevant background in linguistics).

## 3.2 Material

The items had the same format as the items from experiment 1:

(33) “ $E_1(I_1)$ ”  $\rightsquigarrow$   $E_2(I_2)$

380 The main difference is that more quantifiers were added and two more radically different environments as well: restrictors of quantifiers and questions.

### 3.2.1 Control presuppositional items: non-quantified environments

Positive and negative environments as (23) and (24) were included.<sup>19</sup> To complete the original paradigm in (1c), yes/no questions were added and lead to new presuppositional items of the following form:

385 (34) Does John know that his father is going to receive a congratulation letter?  
 $\rightsquigarrow$  John’s father is going to receive a congratulation letter.

### 3.2.2 Presuppositions: universal inferences from the scope of more quantifiers

The target items included a presupposition trigger in the scope of a quantifier in the premise, and prompted the universal inference in the conclusion. These items are similar to (25)-(29) except that the list of quantifiers now included: Each, No, Most, Few, Many, Less than 6, More than 6, Exactly 6, Who.

395 First, most of these quantifiers require bound pronouns in their scope to be plural, this was the case only for numerical quantifiers in the previous experiment. Notice also that the numerical quantifiers now involve the number 6 instead of the number 3. This modification removed potential worries about the felicity of low numbers in quantified expressions.<sup>20</sup> To counterbalance this choice, the explicit domain restriction over 10 students that was used in experiment 1 was systematically replaced with a domain restriction over 20 students. Furthermore, this explicit domain restriction phrase was moved outside of the restrictor of the quantifier at the head of the sentence and realized as “Among these 20 students, ...”. Finally, the addition of Who to the list of quantifiers lead to items of the following form:

400 (35) Among these 20 students, who knows that his father is going to receive a congratulation letter?  
 $\rightsquigarrow$  The father of each of these 20 students is going to receive a congratulation letter.

### 3.2.3 Presuppositions: universal inferences from the restrictors of quantifiers

New presuppositional items involved presupposition triggers in the restrictors of (the same list of) quantifiers and prompted the corresponding universal inference. Here are some relevant examples (approximately translated from French):

405 (36) Among these 20 students, each/none who knows that his father is going to receive a congratulation letter takes Italian lessons.  
 $\rightsquigarrow$  The father of each of these 20 students is going to receive a congratulation letter.

<sup>19</sup>An additional difference is that negation was achieved by adding “It is not true that” (“il n’est pas vrai que”) in front of the positive counterparts (instead of the phrase “I doubt that” from experiment 1).

<sup>20</sup>For instance, Less than 3 might be disregarded in favor of the expression 1 or 2 (even though the two expressions are not strictly speaking equivalent, because without implicatures, Less than 3 does not exclude 0 while 1 or 2 probably does).

(37) Among these 20 students, most/few/many/less than 6/more than 6/exactly 6 who know that their father is going to receive a congratulation letter takes English lessons.

410  $\rightsquigarrow$  The father of each of these 20 students is going to receive a congratulation letter.

(38) Among these 20 students, who from those who know that their father is going to receive a congratulation letter takes English lessons?

$\rightsquigarrow$  The father of each of these 20 students is going to receive a congratulation letter.

415 Notice that these examples are significantly more complex than the previous set of items: the whole content is now packed in the restrictor of the quantifier and the nuclear scope presents additional material (having to do with various foreign languages lessons). This additional complexity may unfortunately explain why the results for these items are almost flat.

### 3.2.4 Scalar implicatures

420 As before, the material also included scalar items. The corresponding scalar inferences were embedded in the following environments: negation (for which the inference really is an implicature) and the scopes of the extended list of quantifiers (to the exclusion of Who). The corresponding items were thus very similar to cases of scalar implicatures from the previous experiment except that only universal inferences were tested. These items were thus of the following type:<sup>21</sup>

(39) John didn't miss all his exams.

425  $\rightsquigarrow$  John missed some of his exams.

(40) Among these 20 students, none/each/few/most... missed all their exams.

$\rightsquigarrow$  Each of these 20 students missed some of their exams.

### 3.2.5 Monotonicity inferences

430 Another set of items prompted standard monotonicity inferences. These items were of the following form: two predicates  $I_1$  and  $I_2$  were embedded in the same environment  $E$  to obtain the premise and the conclusion;  $E$  was either a non-quantified positive or negative environment or the scope of one of the quantifiers in the list (to the exclusion of Who); for each pair  $(I_1, I_2)$ , one entailed the other asymmetrically<sup>22</sup> and both the inferences  $E(I_1) \rightsquigarrow E(I_2)$  and  $E(I_2) \rightsquigarrow E(I_1)$  were tested. The relevant examples are as follows (with the same quantifier in the premise and in the conclusion):

435 (41) Among these 20 students, none/each/most/few... is/are French.

$\rightsquigarrow$  Among these 20 students, none/each/most/few... is/are European.

(42) Among these 20 students, none/each/most/few... is/are European.

$\rightsquigarrow$  Among these 20 students, none/each/most/few... is/are French.

### 3.2.6 Others

440 Finally, more cases of scalar implicatures (with weak and strong scalar items) in non-quantified environments were added (as mere fillers, although the results were analyzed and unsurprising: scalar implicatures were derived as expected).

<sup>21</sup>Notice as well that the negation was a standard negation for these cases of implicatures.

<sup>22</sup>Extending the notion of entailment to predicates in a fully standard way.



### 3.3 Results

#### 3.3.1 Control results

Presuppositional items in non-quantified environments lead to very high robustness (95% overall, positive environments: 97%, negative environments: 93%, questions: 95%), as expected since the discussion of example (1).<sup>23</sup>

Global responses to monotonicity inferences confirm that subjects did the task appropriately. To see this we need to take into account “correct robustness”. Correct robustness measures the accuracy of the answer depending on the validity of the inference, it can be defined as robustness when the monotonicity inference is valid (accurate answers correspond to high robustness for these cases) and as the reverse of robustness ( $= 1 - \text{robustness}$ ) when the monotonicity inference is invalid (here accurate answers are rejections and correspond to robustness being close to 0). In short, correct acceptations and rejections yield high correct robustness. Mean correct robustness is high: 80% overall and 85% for non-quantified items (corresponding bare robustness: 79% and 83%).

As for experiment 1, there was no distinction between the two halves of the experiment. The interaction between the 3 types of inferences (presuppositions, scalar implicatures and entailments), the 30 environments and the two halves of the experiment is not significant:  $F(9, 81) = .805, p = .613$ .

These results validate the overall paradigm. Crucially, this experiment also replicates previous findings from experiment 1 as discussed below.

#### 3.3.2 Presuppositions and differences between quantifiers

Figure 9 reports the mean robustness of universal inferences when a presupposition trigger is embedded in the nuclear scope or the restrictor of various quantifiers.

##### Scope of quantifiers

Most importantly, the previous finding is replicated: the robustness of the universal presupposition varies when the trigger occurs in the scope of various quantifiers (the effect of the quantifier is significant:  $F(8, 72) = 4.97, p < .05$ ). In fact, the bars in the figure entirely replicate the data in figure 5.<sup>24</sup>


##### Restrictors of quantifiers

Overall, universal inferences are less robust when the presupposition trigger is in the restrictor of a quantifier than when it is in the scope of the same quantifier ( $F(1, 9) = 22.5, p < .05$ ). Furthermore, there is no effect of quantifier in these cases ( $F(8, 72) = 1.35, p = .23$ ) and the interaction between quantifier and position of the presupposition trigger (scope vs. restrictor) is significant:  $F(8, 72) = 4.69, p < .05$ .

As mentioned in 3.2.3, these sentences were significantly more complex than the rest of the items. In the absence of effect, it is difficult to draw any firm conclusion for these cases. I will focus my attention on the data for presuppositions triggered from the scope of various quantifiers.

<sup>23</sup>Unsurprisingly, bare robustness yields close scores: 94% overall (positive environments: 96%, negative environments: 92%, questions: 94%).

<sup>24</sup>The previous difference between Each and No on the one hand and numerical quantifiers is also significant:  $F(1, 9) = 8.2, p < .05$ .



### No difference between triggers

In experiment 1, I reported an interaction between environments, and types of trigger (figure 6). This effect is not reproduced here, the interaction (restricted to the quantified environments) yields:  $F(68, 612) = 1.11$ ,  $p = .26$ .

### 3.3.3 Monotonicity and difficulty

Let me entertain (and object to) a simple source for the variation between quantifiers. These differences might simply come from irrelevant differences between the quantifiers themselves. More precisely, maybe presuppositions project universally across the board but participants have more or less difficulty to see this. For instance, it is natural to propose that numerical quantifiers are harder to compute than No and that this relative difficulty explains why universal presuppositions are less acknowledged for numerical quantifiers.

Success with monotonicity inferences can help quantify *some* difficulty associated to each quantifier (see Geurts, 2003). Figure 10 reports the correct robustness results across quantifiers in a monotonicity inference task. The robustness results for universal presuppositions are reported for convenience, the goal here is to entertain the idea that the variation of one could explain the other.

The correct robustness of monotonicity inferences depends on the quantifier ( $F(7, 63) = 7.33$ ,  $p < .05$ ). This makes it a good candidate to explain the variation in the case of presupposition but unfortunately, it is obvious from figure 10 that the variations we observe do not follow the right pattern. In statistical

terms, there is an interaction between quantifiers and types of inference (universal presupposition vs. monotonicity inferences):  $F(7, 63) = 3.07, p < .05$ . More specifically, if we try to fit the data for universal presuppositions across quantifiers with a linear model based on the mean results for monotonicity inferences for each quantifiers (with subjects as a covariate), we obtain a rather low adjusted value for  $R^2 = .098$  ( $F(19, 50) = 1.40, p = .17$ ). This model accounts for less than 10% of the variability.





Figure 10: This figure presents the mean correct robustness of monotonicity inferences with various quantifiers: Each, No, Most, Few, Many, Less than 6, More than 6, Exactly 6. Previous robustness results of universal inferences with presupposition triggers in the same position are reported for convenience.

Hence, it is not an easy task to defend the idea that presuppositions project universally across the board and that apparent discrepancies come from irrelevant difficulties. In fact, one would probably have to rely on a notion of complexity arising from the interaction between the quantifiers and the accommodation process (rather than complexity coming from the quantifier alone). This task requires a manageable implementation of the accommodation process. I report a partial attempt in that direction in appendix F based on Schlenker's (2008a) transparency theory to illustrate the architecture of the resulting system.

### 3.3.4 Scalar implicatures

The cases of scalar implicatures will help understand the results.

Figure 11 reports the robustness rates of universal inferences when the premise contains a (strong) scalar item in the scope of various quantifiers. Note first that the universal inference is expected only for Each-sentences where the inference is actually an entailment of the sentence. For all other quantifiers, nothing in the theory of scalar implicatures leads to these universal inferences (see the exact predictions in (14) to (21)). However, participants did not reject the universal inference altogether and familiar differences show up between the quantifiers (the effect of the quantifier:  $F(8, 72) = 16.08, p < .05$  – the same effect but excluding Each from the analysis remains significant:  $F(7, 63) = 12.04, p < .05$ ).



In fact, if we try to fit the scalar implicature data with the predictions in (14) to (21), we obtain a reasonable estimation of the data:  $R^2=.66$  ( $F(19, 60) = 8.91, p < .05$ ). In other words: the stronger the inference, the more participants endorsed the universal inference.

This suggests a natural interpretation of what robustness represents. Imagine that you prepare yourself to inspect a set of 20 people. When you find out that the first one satisfies property P, you will not yet be willing to conclude that each of the 20 people satisfies property P. As you go along and discover that 2, 3... most of them satisfy P, it becomes more and more likely that all of them do. The same goes for the present cases. For No-sentences, participants have evidence from the scalar inference that (at least) one individual satisfies property P. At this point, there is no strong reason to endorse the universal inference and they basically rejected it. For Most sentences on the other hand, participants have evidence that most individuals satisfy P and are thus much more willing to grant that the universal inference is likely to be correct.<sup>25</sup>

### 3.3.5 Variable presuppositions

The situation for scalar implicatures is compelling: theories predict variable inferences and the robustness of the universal inference follows the strength of these predictions. Interestingly, this compelling situation can be extended to presuppositions.

A first attempt could be to argue that presuppositions project like scalar implicatures but as is clear from

<sup>25</sup>The way the information ‘Most people satisfy P’ is conveyed matters. For instance, if someone *asserts* “Most of them are happy”, this comes with a scalar implicature that not all the people involved are happy and this blocks the universal inference from the start. When the information that ‘Most people satisfy P’ comes from non-linguistic information or from an implicature, it does not come with the not-all implicature which overrides any probabilistic reasoning about the universal inference.

figure 11, the two patterns seem very different. In statistical terms, if we try to fit the presupposition data with the predictions from a scalar theory, we obtain a rather low value:  $R^2=.13$  ( $F(19, 60) = 1.65, p = .074$ ).

However, the similarity theory provides another way to have the presuppositions vary with the quantifier. In fact, if we fit the results with the predictions from this theory (see section 1.2 or appendix B) we obtain a much better fit:  $R^2=.68$  ( $F(19, 60) = 6.65, p < .05$ ).

Overall, a visual comparison of figure 1 (predictions from various theories) and figure 11 (the corresponding results) can sum up the results very efficiently: the scalar implicature results mimic the corresponding (uncontroversial) theoretical predictions in the same way that the presupposition results mimic the predictions from the similarity theory.

### 3.4 Summary

The main results from this experiment confirm and refine the results from experiment 1.

Most importantly, presuppositions triggered from the scope of different quantifiers raise universal inferences which can be more or less robust depending on the quantifier (section 3.3.2). The results from section 3.3.3 show that these variations do not rely on some intrinsic complexity of the quantifier which may weaken the otherwise homogeneously universal presuppositions.

The robustness of universal inferences associated with scalar implicatures patterns as follow: the closer to universal the prediction, the higher participants rate the universal inference (section 3.3.4). This result suggests that robustness immediately reflects the (logical) strength of the underlying inference. Robustness thus seems to reflect the likelihood of the universal inference based on the information obtained from the scalar implicature.<sup>26</sup> Most importantly for our purposes, the presuppositional data fall under the exact same schema if we abandon the universal/existential distinction and accept finer-grained predictions (section 3.3.5). These results are visible from the comparison of figure 1 (predictions from various theories) and figure 11 (the corresponding results).

## 4 General discussion

The present data suggest that 1) different presuppositions are associated with different quantifiers, and 2) a general probabilistic mechanism strengthened pragmatic inferences. The latter aspect is not problematic and I showed that such a mechanism applies independently to scalar implicatures. The former aspect goes against current leading theories of presupposition projection.

In section 4.1, I discuss the type of amendments needed to reconcile existential or universal presuppositions with the present data. I end the discussion with a list of remaining issues.

### 4.1 Possible theoretical amendments to maintain homogeneous predictions

Presuppositions yield robust universal inferences when triggered from the scope of No; much less so for other quantifiers. Can we accommodate these data starting from homogeneously existential or universal presuppositions?

---

<sup>26</sup>This does not mean that the underlying reasoning is taken explicitly. The derivation of scalar implicatures is not a conscious process and there is no reason why this probabilistic evaluation of the universal inference should be explicit either.

### 4.1.1 Enriching existential presuppositions

Let us first consider that presuppositions are existential for every quantifier: this is the weakest possible prediction and might thus be the safest. Note that theories of enrichment of presuppositions are needed independently: some presuppositions triggered in the consequent of conditional sentences are regularly reinforced when they are accommodated (this is known as the proviso problem, see Geurts, 1999 and most recently van Rooij, 2007 and Pérez Carballo, 2006).

However, to account for the present set of data starting from existential presuppositions, one would need to defend an enrichment mechanism such that:

(43) Requirements for an enrichment mechanism from existential presuppositions:

- a. It should turn weak existential presuppositions into universal inferences when they come from certain quantifiers (e.g., No) but not others;
- b. It should not apply to scalar implicatures in the same way (the robustness of the universal inference for No-sentences remains low if we start with an existential scalar implicature rather than a presupposition);
- c. It should ideally account for the variations observed with quantifiers other than No.

The weakest assumption needed to enrich an existential presupposition into a universal presupposition is a “homogeneity assumption” among the individuals involved in the utterance. If *x* satisfies the property *P* (existential presupposition) and if all relevant individuals are similar to *x* (homogeneity assumption), we can conclude that each individual satisfies *P*.<sup>27</sup> Interestingly, this assumption may apply differently to the quantifiers *Each* and *No* on the one hand and to the rest of the quantifiers on the other hand: stating that only a subset of students in a group (e.g., exactly 6) satisfy a property *P* casts doubt on the homogeneity assumption (even about another property *P*). In other words, there might be ways to fulfill the first requirement in (43a).

Unfortunately, it is difficult to see how to address the other requirements in (43). For instance, if the homogeneity assumption is a general pragmatic assumption or if it is somehow associated with quantified expressions, existential scalar implicatures should also lead to universal inferences (in the case of *No*) contrary to the facts (see requirement (43b)). Similarly, this hypothesis offers no solution to (43c): inferences should be either universal or existential nothing else.

### 4.1.2 Problematic accommodation of universal presuppositions

Let us now consider that presuppositions are universal. Are we in a better position? The challenge is now mainly to explain why presuppositions are weakened (or not accommodated) in a systematic range of cases.

First, note that scalar implicatures do not interfere as above in (43b): the question of whether scalar implicatures are subject to the same weakening mechanism as presuppositions does not arise because scalar implicatures are not claimed to be universal to begin with. Second, the data for the quantifier *No* go as expected and there only remains to explain why universal presuppositions are weakened (or not accommodated) for the other quantifiers.

One possibility is to resort to an explanation in terms of complexity: there is something difficult about some quantifiers which prevents the accommodation process to deliver the full universal presuppositions.<sup>28</sup>

<sup>27</sup>Schwarzschild (1993), Löbner (1995), Beck (2001) and Gajewski (2005, 2007) argued that such an assumption could come out as a regular presupposition of plural definite NPs.

<sup>28</sup>Bart Geurts (p.c.) suggested an alternative approach. Quantifiers other than *Each* and *No* might introduce a discourse referent which is a subset of the individuals involved. The (still universal) presupposition might then either apply to this subset of students

Results from section 3.3.3 suggest that the type of difficulty involved should come from the interaction between the quantifier and the accommodation process. Schlenker (2007) describes the technical details of a theory of presupposition projection which might help elaborate the relevant measure of complexity. Appendix F shows that in Schlenker's system, the accommodation process of a universal presupposition in the case of numerical quantifiers may involve several computational steps which are not necessary with the quantifier No. In other words, accommodation could be computationally harder for quantifiers other than No and this could explain why universal inferences are sometimes rejected in these cases.

This is an interesting possibility but at this stage more investigations are needed to check for instance whether we obtain a binary distinction between quantifiers or finer-grained variations as in figure 11.

## 4.2 Conclusion and remaining issues

This work was motivated by an empirical controversy coming from formal investigations of presupposition. I argued that the dilemma should be tackled with empirical means and proposed an experimental paradigm relying on accommodation. The results show that universal inferences associated with presuppositions in quantified sentences are not homogeneous: universal inferences are more or less robust depending on the quantifier (see figure 11). I discussed possible amendments to universal or existential theories of presupposition projection. However, I argued that if we drop the idea that presuppositions project homogeneously from every quantifier we could offer a natural account for the variations we observe. This line of explanation is also independently motivated by the results obtained for scalar implicatures.

I review here a list of questions which would require further theoretical developments as well as refinements of the present empirical investigations.

### 4.2.1 Presuppositions in questions

The list of quantifiers in experiment 2 included Who. The corresponding data were not fully discussed because in the absence of an equivalence relation between questions, it is difficult to decide what predictions follow from the similarity theory (as well as from many others, see discussion in Schlenker, 2008b). Empirically speaking, there is also too much variability to tell whether universal inferences associated with questions are as robust as with No-sentences or if they are closer to those associated with numerical quantifiers. This calls for more experimental and theoretical work.

### 4.2.2 Restrictors of quantifiers

The data obtained for restrictors of quantifiers are difficult to interpret. If anything it seems that universal inferences are less robust than in the corresponding cases where a presupposition trigger appears in the scope of a quantifier. If this result was confirmed, it would be an important challenge for explanatory theories of presuppositions which predictions only rely on the bare semantics of the environment in which a presupposition trigger is embedded. The problem is best illustrated with the symmetrical quantifier No

---

or to the whole group of students. First, this type of account would be such that presuppositions vary with the quantifiers and it is exactly my point to argue in favor of this general class of theories (against existential or universal theories). Notice that turning this suggestion into a working proposal would require to explain how discourse referents are associated with quantifiers (and in particular downward entailing quantifiers like Few which seems to pattern like Most) and why for instance universal inferences associated with Most and Few seem more robust than universal inferences associated with numerical quantifiers.

(see discussion in the appendix of Schlenker, 2008a). If we exchange the restrictor and the nuclear scope we obtain semantically equivalent sentences with potentially very different presuppositions:<sup>29</sup>

(44) [No x: R(x)] S<sub>p</sub>(x) (Robust universal inference)

(45) [No x: S<sub>p</sub>(x)] R(x) (Less robust universal inference)

Here again, more empirical investigations and theoretical work is needed. It is worth mentioning that if the similarity theory does not distinguish between (44) and (45), George's (2008) theory does.

### 4.2.3 Differences between triggers

Charlow (2008) argued that anaphoric triggers (too and again) project universal presuppositions in all quantified sentences:

(46) Less than 6 of these students SMOKE too.

(Robust?) universal inference: Each of the students involved drinks (for instance).

Although examples are difficult to construct, Benjamin Spector (p.c.) suggests that it-clefts also have this property:

(47) For less than 6 of these students, it is in maths that they have difficulties.

Robust universal inference: Each of the students involved have difficulties in some topic.

(48) Less than 6 of these students for whom it is in maths that they have difficulties came to the library yesterday.

(Robust?) universal inference: Each of the students involved have difficulties in some topic.

This echoes the discussion about figure 6: change of state predicates might be different from definite descriptions and factive verbs. Even though these results were not replicated in experiment 2, there could be different classes of presupposition triggers which induce different presuppositions (or at least yield different inferences). Charlow suggests that for each trigger, the strength of the presupposition in quantified sentences correlates with the difficulty to accommodate the presupposition in general. Note however that the differences between quantifiers would remain an independent puzzle for at least some presupposition triggers.<sup>30</sup>

More generally, this discussion raises the question of the homogeneity of the phenomenon of presupposition per se. This is an old debate which I think has not been properly solved yet.<sup>31</sup> Combined experimental and theoretical investigations of the distinct projection behavior of various triggers should allow important progresses in our understanding of what presuppositions are.

<sup>29</sup>In experiment 2, the relevant items were less minimally different:

(i) [No x: student(x)] S<sub>p</sub>(x)

Universal inference tested: [∀x: student(x)] p(x)

(ii) [No x: student(x) and S<sub>p</sub>(x)] R(x)

Universal inference tested: [∀x: student(x)] p(x)

(Note that the following is also a universal candidate: [∀x: student(x) and R(x)] p(x) )

<sup>30</sup>To make it the same puzzle, one would have to claim that the differences we observe is due to the fact that accommodation is easier for some quantifiers. This claim may fragilize the predictive power of our theory of presupposition and of course it would have to be motivated independently.

<sup>31</sup>See for instance this citation where Stalnaker discusses examples by Karttunen (1973) which suggest that there is important variability of the presuppositions triggered by semi-factive verbs in the antecedent of a conditional or under an existential modal:



#### 4.2.4 More processing results

665 Finally, I believe that it could be very informative to obtain more processing results (see the preliminary  
results in figure 7). This type of results could provide important arguments in favor of accounts based on  
enrichments of non-universal presuppositions or in favor of accounts based on non-derivations of universal  
presuppositions. In particular, if we had a psycholinguistic marker of local accommodation (in terms of  
response times pattern or a particular aspect of the ERP signal for instance), it could help address ques-  
670 tions as abstract as Charlow's puzzle about the alleged correlation between the strength of the projected  
presupposition and the difficulty to accommodate a presupposition.

---

There is, I think, in all these cases a presumption that the speaker presupposes that Harry's wife is, or has been, playing around. The presumption is stronger in some of the examples than in others, but it seems to me that in some of them it is as strong as with regret. (Stalnaker, 1974, p.477).

See also my work where I dispute the rigid boundary between presuppositions and other types of inferences (Chemla, 2008a,b,d).

## APPENDICES

### A Deriving universal/existential presuppositions

How can we derive the presupposition of a quantified sentence such as (49) from the presupposition  $p(x)$  of  $S_p(x)$ ? In this appendix, I repeat Heim's (1983) and Beaver (2001)'s solutions, see Kadmon (2001, chapter 10) for discussion.

$$(49) \quad [Qx: R(x)] S_p(x)$$

#### A.1 Universal presuppositions: Heim (1983)

Heim (1983) predicts universal presuppositions: **every** individual which satisfies the restrictor should satisfy the presupposition of the scope:  $[\forall x: R(x)] p(x)$ . This follows from the general admittance condition for any sentence  $S_p$  with presupposition  $p$  in a context  $C$  in (50), where  $\langle g, w \rangle$  is a pair of assignment function  $g$  and world  $w$ :

$$(50) \quad \forall \langle g, w \rangle \in C, \exists g' \supseteq g \text{ s.t. } \langle g', w \rangle \in C+p$$

This admittance condition then applies incrementally to sentences of the form (49). For the presupposition triggered in the scope of the quantifier to be harmless, it must be admissible in the initial context  $C$  updated with the restrictor:  $C+R(x)$ :

$$(51) \quad \forall \langle g, w \rangle \in C+R(x), \exists g' \supseteq g \text{ s.t. } \langle g', w \rangle \in (C+R(x))+p(x)$$

The expression " $\exists g' \supseteq g$ " is responsible for the universal force of the presupposition: roughly, it eventually forces the existence of a superset of the individuals satisfying the restrictor to satisfy the presupposition of the scope.

#### A.2 Existential presuppositions: Beaver (1994,2001)

This phrase " $\exists g' \supseteq g$ " is absent from Beaver (2001)'s admittance condition (see (52)). This ends up in the admissibility condition in (53) for sentences like (49) in a context  $C$ . A set of individuals where one satisfies both the restrictor and the presupposition of the scope can produce an assignment function  $g'$  as the one needed to satisfy (53).

$$(52) \quad \forall \langle g, w \rangle \in C, \exists g' \text{ s.t. } \langle g', w \rangle \in C+p$$

$$(53) \quad \forall \langle g, w \rangle \in C+R(x), \exists g' \text{ s.t. } \langle g', w \rangle \in (C+R(x))+p(x)$$

### B Similarity theory

As a first approximation, the similarity theory requires that presuppositions and their negations be locally trivial. Formally, this amounts to the following two principles: a sentence with a presuppositional  $S_p$  in an environment  $E$  presupposes that:

$$(54) \quad E(S_p) \text{ presupposes that:}$$

$$a. \quad E(p) \Leftrightarrow E(\top)$$

$$b. \quad E(\neg p) \Leftrightarrow E(\perp)$$

Here are two representative applications:

- 705 (55) John does not know that he's lucky.  
Schematically:  $\neg(S_p)$   
a.  $\neg(p) \Leftrightarrow \neg(\top)$  i.e. p is true  
b.  $\neg(\neg p) \Leftrightarrow \neg(\perp)$  i.e. p is true
- (56) No student knows that he's lucky.  
710 Schematically:  $[\text{No } x: \text{student}(x)] S_p(x)$   
a.  $[\text{No } x: \text{student}(x)] p(x) \Leftrightarrow [\text{No } x: \text{student}(x)] \top(x)$   
The right-hand side is false hence this is equivalent to:  $\neg([\text{No } x: \text{student}(x)] p(x))$   
i.e. Some student satisfies p  
b.  $[\text{No } x: \text{student}(x)] \neg p(x) \Leftrightarrow [\text{No } x: \text{student}(x)] \perp(x)$   
715 The right-hand side is true hence this is equivalent to:  $[\text{No } x: \text{student}(x)] \neg p(x)$   
i.e. All students satisfy p

## C Instructions

I reproduce the instructions provided to the participants before the experiment. The context provided and the way the word *suggérer* is clarified are the methodological points of main importance.

### 720 C.1 Actual (French) version

Bonjour et merci pour votre participation.

Imaginez la situation suivante:

Après une session d'examens dans toutes les matières, 5 ou 6 professeurs viennent de rencontrer individuellement une dizaine des étudiants de leur classe (dont un certain Jean par exemple) et ces professeurs  
725 se retrouvent pour en discuter, informellement. Ces professeurs sont très bien informés sur leurs étudiants, honnêtes, justes...

Vous allez alors voir des paires de phrases s'afficher à l'écran:

“Jean et Marie ont eu la moyenne partout”	
<i>suggère que:</i>	
Jean a eu la moyenne partout.	
<i>NON?</i>	<i>OUI?</i>

730 Nous vous demandons de considérer qu'un des professeurs dit la première phrase (“Jean et Marie ont eu la moyenne partout.”) et d'indiquer alors s'il est naturel, à partir de cette phrase, de penser que Jean a eu la moyenne partout (comme il est écrit plus bas dans l'exemple encadré). Comme les professeurs auxquels nous avons affaire sont bien informés, vous répondrez sans doute OUI dans ce cas.

Les exemples ne seront pas toujours si clairs cependant et nous vous demandons votre jugement intuitif. Prenons un autre exemple, si le professeur dit: “Lundi, en cours, Jean a posé une très bonne question et a  
735 insulté un camarade.”, il suggère notamment que Jean a posé sa question avant d'insulter son camarade (et si c'est bien votre sentiment vous appuierez alors sur OUI). Ce n'est pas nécessairement votre intuition ici,

cet exemple vous montre que nous ne vous demandons pas de calculs savants mais, encore une fois, vos jugements intuitifs.

Dernières remarques:

- Vous devez considérer que les exemples sont absolument indépendants. Vous devez les oublier au fur et à mesure et baser votre intuition uniquement sur la phrase 'prononcée' (et le contexte général décrit plus haut). Ne vous laissez donc influencer ni par ce que vous avez lu auparavant, ni par vos propres réponses précédentes.
- Vous aurez peut-être aussi l'impression d'avoir déjà vu certains exemples (beaucoup se ressemblent). Ceci n'a aucune importance, répondez toujours en suivant votre jugement intuitif pour l'exemple particulier.
- Certains mots apparaîtront en majuscules, vous devez **SIMPLEMENT** imaginer que ces mots ont été accentués oralement.
- Positionnez vos mains pour être prêt(e) à appuyer sur la touche appropriée aussitôt que vous vous serez fait un avis. Vous allez avoir à répondre à de nombreux exemples. C'est une raison supplémentaire pour répondre rapidement en suivant votre première intuition (en évitant bien sûr la précipitation excessive).

## C.2 English translation

Hello and thank you for your participation.

Imagine the following situation:

*After an exam session in every topic, 5 or 6 teachers just met individually with 10 students of their class (including one called John, for instance) and these teachers get together to talk about it, informally. These teachers are very well informed about their students, honest, fair...*

You are going to see pairs of sentences on the screen:

"John and Mary succeeded in every topic"

*suggests that:*

John succeeded in every topic.

*NO?*

*YES?*

We ask you to consider that one of the teachers say the first sentence ("John and Mary succeeded in every topic") and to indicate if it is natural, from this sentence, to think that John succeeded in every topic (as written at the bottom of the frame). Since teachers involved here are well-informed, you might very well answer YES in this case.

Nevertheless, the examples will not all be so clear and we are asking you for your own intuitive judgment. Let us take an example, if the teacher says: "Monday, in class, John asked a very good question and insulted a fellow student.", this may suggest in particular that John asked a very good question before insulting his fellow student (and if it is indeed your feeling you will press YES). It is not necessary your intuition here, this example shows that we are not asking for sophisticated computations but, again, for your intuitive judgments.

Last remarks:

- You must consider that the examples are absolutely independent. You must forget them as the experiment goes and provide your intuition on the only basis of the sentence uttered (and the general context described above). Do not let previous trials or your own previous responses influence your responses.
- 775 • You might think that some examples already occurred (many examples look like each others). This has no importance, answer following your intuitive judgment for the particular example you see.
- Some words are written in capital letters, you should **SIMPLY** imagine that these words are orally stressed.
- 780 • Position your hands to be ready to push the appropriate key as soon as you made up your mind. You are going to face many examples. This is an additional reason to answer quickly following your first intuition (avoiding excessive precipitation, of course).

## D Orthogonal issues

The empirical disagreement schematized in (2) might suffer from independent complications. I review them in this section and explain my attempt to stay away from these (interesting) problems in the actual experimental items.

### D.1 Implicit domain restriction

A bare noun in the restrictor of a quantifier does not fix the domain of individuals involved in a quantified sentence, this domain is most often implicitly restricted via contextual assumptions. For instance, given the context in (57), the noun Italian in (57a) is used to refer to a particular subset of Italians without any explicit linguistic mention of this.

(57) Context: John is a teacher and, while he is talking about his new students, he says:

- Every Italian is tall.
- Meaning: Every Italian (among my new students) is tall.

This implicit operation of domain restriction is extremely common and powerful: in (58a), the phrase Every Italian occurs twice within the very same sentence and yet, these two occurrences are subject to two different implicit domain restrictions.

(58) Context: A committee must select some applicants. Some of the applicants are Italian, and there are also Italians on the committee, though of course, they are not the same.

- Every Italian voted for every Italian.
- Meaning: Every Italian (who is in the committee) voted for every Italian (who is an applicant).

(from Schlenker, 2004, after D. Westerstahl)

To understand the importance of implicit domain restrictions for the purposes of the present study, consider example (3) and its schema in (2) again. Because of potential implicit domain restrictions, the set of students involved in sentence (3) is under-specified. Hence, it is very difficult to formulate the universal or the existential presupposition it might trigger and the predictions become virtually impossible to test with naive informants (note that domain restrictions may also appear in the formulation of the alleged presupposition). Furthermore, domain restrictions could also apply in such a way that we would be left with no

prediction to test: sentence (59) is a possible outcome of domain restriction, where the phrase in parentheses mimics the implicit domain restriction. In this case, the potential universal inference in (59a) is simply tautologous.<sup>32</sup>

- (59) No student (who is lucky) knows that he is lucky.
- a. Universal prediction: Every student (who is lucky) is lucky.
  - b. Existential prediction: At least one student among the lucky students is lucky.

To avoid this confound, the sentences used in the experiment systematically specify overtly the domain of individuals which are quantified over as a set of 10 or 20 particular students. Thus, sentences in (60) are versions of (3) which might qualify for the present experiments;

- (60) a. None of these 10 students knows that he is lucky.  
 b. Among these 20 students, no(o)ne knows that he is lucky.<sup>33</sup>

The following examples confirm that explicit mentions of a specific domain of individuals block implicit domain restrictions (compare (61) to (57) and (62) to (58)):

- (61) Each of these 10 Italians is tall.
- (62) Context: A committee must select some applicants. Some of the applicants are italian, and there are also Italians on the committee, though of course, they are not the same.  
 ?? Each of these 10 Italians voted for each of these 10 Italians.

Admittedly, I did not prove that domain restrictions are impossible in sentences where a domain of individuals is specified overtly. Nonetheless, I hope that the data in (60) to (62) convincingly show that unmotivated implicit domain restrictions are now at least disfavored.

## D.2 Bound readings

A similar pitfall is the ambiguity of sentences with a plural bound pronoun in the scope of a plural quantifier as in sentence (63). The two potential interpretations are paraphrased in (63a) and (63b).

- (63) Less than 3 of these 10 students know that they are lucky.
- a. Less than 3 of these 10 students know that all of these 10 students are lucky.
  - b. Among these 10 st., the number of students who knows that he (himself) is lucky is below 3.

Under the reading paraphrased in (63a), the complement of the verb know does not contain any free variable. In other words, what a student might or might not know does not depend on who this particular student is, it is always the same statement that all the students involved are lucky. As a result, the two predictions (existential or universal) schematized in (2) collapse into all of these 10 students are lucky. To understand why the predictions collapse in absence of free variables, consider example (64).

- (64) No student knows that it's raining.
- a. Universal prediction: Every student is such that it is raining.

<sup>32</sup>To keep the discussion simple, I do not discuss theories allowing *intermediate accommodation*: domain restrictions driven by the presence of presuppositional elements. The defenders are van der Sandt (1993) and Geurts (1999), the attackers are Beaver (2001) and Schlenker (2006).

<sup>33</sup>The English version is a bit marked, it sounds perfect to me in French: Parmi ces 20 étudiants, aucun ne sait qu'il a de la chance.

- b. Existential prediction: There is at least one student such that it is raining.

In sentence (64), the proposition expressed in the complement of the verb know does not contain any free variable: the weather does not depend on any property of the students at stake. As a result, the existential and universal versions of the presupposition of this sentence (spelled out in (64a) and (64b)) are equivalent.<sup>34</sup>

The examples used in the experiments were designed to disfavor the unfortunate bound reading described in (63a). This is exemplified in (65): *their father* is singular and, although the problematic bound reading is still possible, it would now imply that the 10 students involved are siblings and probably that their father will receive a unique letter. This does not correspond to the natural situation one might construct to interpret this example. The bound reading is thus strongly favored.

- (65) Less than 3 of these 10 students know that their father will receive a congratulation letter.

## E Material

The material was constructed by combining pairs of linguistics environments with inferences. I provide the list of inferences used in the experiment embedded under the pair of environments  $\langle \text{John}\_\_, \text{John}\_\_ \rangle$ . The rest of the items can be constructed from this by extracting the inference and embedding it under the other environments:

- (66) a. Non-quantified environments:  
 $\langle \text{John}\_\_, \text{John}\_\_ \rangle$ ,  $\langle \text{I doubt that John}\_\_, \text{John}\_\_ \rangle$   
 b. Environments testing a universal inference:  
 $\langle \text{Each, Each} \rangle$ ,  $\langle \text{No, Each} \rangle$ ,  $\langle \text{More than 3, Each} \rangle$ ,  $\langle \text{Less than 3, Each} \rangle$ ,  $\langle \text{Exactly 3, Each} \rangle$   
 c. Environments testing a scalar inference:  
 $\langle \text{No, (At least) one} \rangle$ ,  $\langle \text{More than 3, More than 3} \rangle$ ,  $\langle \text{Less than 3, (At least) 3} \rangle$

Formally, when the embedding environment involves a quantifier, John was replaced by a free variable which was bound in the scope of the quantifier.

- (67) Definite description

- a. “Jean prend soin de son ordinateur.”  $\rightsquigarrow$  Jean a un ordinateur.  
 “John takes good care of his computer.”  $\rightsquigarrow$  John has a computer.  
 b. “Jean maltraite son ordinateur.”  $\rightsquigarrow$  Jean a un ordinateur.  
 “John takes bad care of his computer.”  $\rightsquigarrow$  John has a computer.

- (68) Factive verb

- a. “Jean sait que son père va être convoqué.”  $\rightsquigarrow$  Le père de Jean va être convoqué.  
 “John knows that his father is about to be appointed.”  $\rightsquigarrow$  John’s father is about to be appointed.  
 b. “Jean sait que son père va recevoir une lettre de félicitations.”  
 $\rightsquigarrow$  Le père de Jean va recevoir une lettre de félicitations.  
 “John knows that his father is about to receive a congratulation letter.”  
 $\rightsquigarrow$  John’s father is about to receive a congratulation letter.  
 c. “Jean ignore que son père va être convoqué.”  $\rightsquigarrow$  Le père de Jean va être convoqué.  
 “John is unaware that his father is about to be appointed.”  $\rightsquigarrow$  John’s father is about to be appointed.

<sup>34</sup> At least in a situation where there exist students.

- d. “Jean ignore que son père va recevoir une lettre de félicitations.”  
 ~> Le père de Jean va recevoir une lettre de félicitations.

880 “John is unaware that his father is about to receive a congratulation letter.”  
 ~> John’s father is about to receive a congratulation letter.

(69) Change of state predicate

- a. “Au 2ème trimestre, Jean a commencé à s’appliquer.”  
 ~> Au 1er trimestre, Jean ne s’appliquait pas.

885 “In the second term, John started being serious.” ~> In the first term, John was not serious.

- b. “Au 2ème trimestre, Jean a commencé à s’inquiéter.”  
 ~> Au 1er trimestre, Jean ne s’inquiétait pas.

“In the second term, John started worrying.” ~> In the first term, John was not worried.

- c. “Au 2ème trimestre, Jean a arrêté de s’appliquer.”  
 ~> Au 1er trimestre, Jean s’appliquait.

890 “In the second term, John stopped being serious.” ~> In the first term, John was serious.

- d. “Au 2ème trimestre, Jean a arrêté de s’inquiéter.”  
 ~> Au 1er trimestre, Jean s’inquiétait.

“In the second term, John stopped worrying.” ~> In the first term, John worried.

895 (70) Scalar implicature

- a. “Jean a réussi tous ses examens.” ~> Jean a réussi plusieurs de ses examens.  
 “John passed all his exams.” ~> John passed several of his exams.

- b. “Jean a raté tous ses examens.” ~> Jean a raté plusieurs de ses examens.  
 “John failed all his exams.” ~> John failed several of his exams.

- 900 c. “Jean a lu le cours et fait un exercice.” ~> Jean a fait (au moins) l’un des deux.  
 “John read the class notes and did an exercise.” ~> John did (at least) one or the other.

- d. “Jean a manqué un cours et un examen.” ~> Jean a manqué (au moins) l’un des deux.  
 “John missed one class and one exam.” ~> John missed (at least) one or the other.

- e. “Jean est excellent.” ~> Jean est bon.

905 “John is excellent.” ~> John is good.

(71) Scalar implicature with “focus”

- a. “Jean a réussi TOUS ses examens.” ~> Jean a réussi plusieurs de ses examens.  
 “John passed ALL his exams.” ~> John passed several of his exams.

- b. “Jean a raté TOUS ses examens.” ~> Jean a raté plusieurs de ses examens.  
 “John failed ALL his exams.” ~> John failed several of his exams.

- 910 c. “Jean a lu le cours ET fait un exercice.” ~> Jean a fait (au moins) l’un des deux.  
 “John read the class notes AND did an exercise.” ~> John did (at least) one or the other.

- d. “Jean a manqué un cours ET un examen.” ~> Jean a manqué (au moins) l’un des deux.  
 “John missed a class and an exam.” ~> John missed (at least) one or the other.

- 915 e. “Jean est EXCELLENT.” ~> Jean est bon.  
 “John is excellent.” ~> John is good.

(72) Adverbial modification



- a. “Jean a voté pour Paul.”  $\rightsquigarrow$  Jean a voté.  
“John voted for Paul.”  $\rightsquigarrow$  John voted.
- b. “Jean a voté pour PAUL.”  $\rightsquigarrow$  Jean a voté.  
“John voted for PAUL.”  $\rightsquigarrow$  John voted.
- c. “Lundi, Jean est arrivé en retard.”  $\rightsquigarrow$  Jean est venu (lundi).  
“On Monday, John arrived late.”  $\rightsquigarrow$  John came (on Monday).

(73) Entailment

- a. “Jean est français.”  $\rightsquigarrow$  Jean est européen.  
“John is French.”  $\rightsquigarrow$  John is European
- b. “Jean est européen.”  $\rightsquigarrow$  Jean est français.  
“John is European.”  $\rightsquigarrow$  John is French.
- c. “Jean aime toutes les matières.”  $\rightsquigarrow$  Jean aime les maths.  
“John likes every topic.”  $\rightsquigarrow$  John likes Math.
- d. “Jean aime les maths.”  $\rightsquigarrow$  Jean aime toutes les matières.  
“John likes Math.”  $\rightsquigarrow$  John likes every topic.

## F The transparency theory, difficult accommodation

Schlenker’s (2007) projection theory of presupposition predicts that a sentence of the form in (74) presupposes (75) (the equivalence is supposed to be a contextual equivalence).

$$(74) \quad [\mathcal{Q}x: R(x)] S_p(x)$$

$$(75) \quad \forall \beta, [\mathcal{Q}x: R(x)] \beta(x) \Leftrightarrow [\mathcal{Q}x: R(x)] (p \wedge \beta)(x)$$

This formula states that replacing a presuppositional expression  $S_p$  by its presupposition  $p$  conjoined with any expression  $\beta$  (i.e. abstracting away from the assertive content of the expression) is equivalent to replacing this expression by  $\beta$  alone. In other words, the contribution of the presupposition is null.

The prediction in (75) is equivalent to a universal presupposition. The claim in this appendix is that it is qualitatively different to recognize that this prediction is indeed equivalent to a universal presupposition when the quantifier is No on the one hand and when it is a numerical quantifier. (I will only show that this prediction entails the universal presupposition here).

### F.1 The quantifier No

To recognize that (75) entails the universal presupposition when the quantifier  $\mathcal{Q}$  is No, one only has to replace  $\beta$  by the predicate  $\neg p$ . This is proved in (76).

$$(76) \quad \text{a. Prediction: } \forall \beta, [\text{No } x: R(x)] \beta(x) \Leftrightarrow [\text{No } x: R(x)] (p \wedge \beta)(x)$$

b. If we take  $\beta = \neg p$ , we obtain:

$$[\text{No } x: R(x)] \neg p(x) \Leftrightarrow [\text{No } x: R(x)] (p \wedge \neg p)(x)$$

The right-hand side of the equivalence is true (no individual satisfies both  $p$  and  $\neg p$ ) and we thus obtain that the left-hand side of the equivalence is true as well:

$$[\text{No } x: R(x)] \neg p(x) \quad \text{i.e. } [\forall x: R(x)] p(x)$$

In other words, the universal presupposition is retrieved in one step by instantiating the predicate  $\beta$  with  $\neg p$ .

## 955 F.2 Numerical quantifiers

The same type of reasoning does not seem to be sufficient to derive the universal presupposition for the other numerical quantifiers. Let us concentrate on the quantifier Less than 3 (other quantifiers like More than x and Exactly x behave similarly). The prediction is given in (77).

(77) Prediction for the quantifier Less than 3:

$$960 \quad \forall \beta, \text{Card}(\llbracket R \rrbracket \cap \llbracket \beta \rrbracket) < 3 \Leftrightarrow \text{Card}(\llbracket R \rrbracket \cap \llbracket p \rrbracket \cap \llbracket \beta \rrbracket) < 3$$

No combination (disjunction or conjunction) of  $R$ ,  $p$  and their negations lead to the universal presupposition in one step. For instance, if we replace  $\beta$  with  $\neg p$  as above, we only obtain that  $\text{Card}(\llbracket R \rrbracket \cap \llbracket \neg p \rrbracket) < 3$  which leaves open the possibility that one or two individuals may satisfy  $R$  and not the presupposition  $p$ .

965 So, retrieving the universal presupposition from (77), requires a different strategy: 1) No  $\beta$  is sufficient *per se* to obtain the universal presupposition; 2) We need to accept that  $\beta$  can be any triplet of individuals (or at least enough triplets to cover all the individuals). A full derivation of the universal presupposition is given in (78) while a proof that no single instantiation of  $\beta$  can provide the universal presupposition is not available at this point.

(78) Full derivation of the universal presupposition from (77):

970 Let  $\beta_1$  designates a set of 3 specific individuals who satisfy  $R$ . If we take  $\beta$  to be this  $\beta_1$  in (77), the left-hand side of the equivalence is false. From the right-hand side, we then conclude that the three individuals in  $\beta_1$  all satisfy  $p$  since we need to keep them all in the set of individuals on the right-hand side of (77). If we do this with enough triplets of individuals like  $\beta_1$ , we obtain that all the individuals who satisfy  $R$  also satisfy the presupposition  $p$ .

## 975 References

Atlas, J. D. and Levinson, S. C. (1981). It-Clefts, Informativeness, and Logical Form: Radical Pragmatics (Revised Standard Version). *Radical Pragmatics*, pages 1–61.

Bard, E., Robertson, D., and Sorace, A. (1996). Magnitude estimation of linguistic acceptability. *Language*, 72(1):32–68.

980 Beaver, D. I. (1994). When variables don't vary enough. In Harvey, M. and Santelmann, L., editors, *Semantics and Linguistic Theory 4*. CLC Publications, Cornell.

Beaver, D. I. (2001). *Presupposition and assertion in dynamic semantics*. CSLI Publications.

Beck, S. (2001). Reciprocals are Definites. *Natural Language Semantics*, 9(1):69–138.

985 Bott, L. and Noveck, I. A. (2004). Some utterances are underinformative: The onset and time course of scalar inferences. *Journal of Memory and Language*, 51(3):437–457.

Breheny, R., Katsos, N., and Williams, J. (2005). Are generalised scalar implicatures generated by default? An on-line investigation into the role of context in generating pragmatic inferences. *Cognition*, 20:1–30.

Charlow, S. (2008). Strong “predicative” presuppositions. Ms. NYU.

990 Chemla, E. (2008a). An anti-introduction to presupposition. In Égré, P. and Magri, G., editors, *Presuppositions and implicatures*. MIT Working Papers in Linguistics. in press.

- Chemla, E. (2008b). An experimental approach of adverbial modification. In Sauerland, U. and Yatsushiro, K., editors, *Proceedings of Xprag 2007*.
- Chemla, E. (2008c). Projecting presuppositions with scalar implicatures. In Alte Grønn, editor, *Proceedings of SuB 12, Oslo: Department of Literature, Area Studies and European Languages, University of Oslo.*,  
995 pages 81–91.
- Chemla, E. (2008d). Similarity: Towards a unified account of scalar implicatures, free choice permission and presupposition projection. Under revision for *Semantics and Pragmatics*.
- Cowart, W. (1997). Experimental syntax: applying objective methods to sentence judgments. *Thousand Oaks, CA*.
- 1000 Ducrot, O. (1969). Présupposés et sous-entendus. *Langue Française*, 4:30–43.
- Evans, J., Barston, J., and Pollard, P. (1983). On the conflict between logic and belief in syllogistic reasoning. *Memory & cognition*, 11(3):295–306.
- Gajewski, J. R. (2005). *Neg-Raising: Presupposition and Polarity*. PhD thesis, MIT.
- Gajewski, J. R. (2007). Neg-Raising and Polarity. *Linguistics and Philosophy*, 30(3):289–328.
- 1005 George, B. R. (2008). Presupposition repairs: a static, trivalent approach to predict projection. Master’s thesis, UCLA.
- Geurts, B. (1999). *Presuppositions and pronouns*. Elsevier New York.
- Geurts, B. (2003). Reasoning with quantifiers. *Cognition*, 86(3):223–251.
- Grice, H. P. (1967). Logic and conversation. *the William James Lectures, delivered at Harvard University*.  
1010 *Republished in Grice (1989)*.
- Grice, H. P. (1989). *Studies in the Way of Words*. Harvard University Press, Cambridge, Massachusetts.
- Heim, I. (1983). On the projection problem for presuppositions. *Proceedings of WCCFL*, 2:114–125.
- Horn, L. R. (1972). *On the Semantic Properties of Logical Operators in English*. PhD thesis, UCLA.
- Kadmon, N. (2001). *Formal Pragmatics: Semantics, Pragmatics, Presupposition, and Focus*. Blackwell  
1015 Publishers.
- Karttunen, L. (1973). Presuppositions of Compound Sentences. *Linguistic Inquiry*, pages 169–193.
- Karttunen, L. (1974). Presupposition and linguistic context. *Theoretical Linguistics*, 1:181–194.
- Löbner, S. (1995). On One-eyed and Two-Eyed Semantics: Outlines of a Theory of Natural Language Negation and Predication. *Blaubeuren Papers: Proceedings of the Symposium “Recent Developments in Natural Language Semantics”*. Sfs-report (working papers of the Seminar für Sprachwissenschaft, Universität Tübingen).  
1020
- Noveck, I. A. and Posada, A. (2003). Characterizing the time course of an implicature: An evoked potentials study. *Brain and Language*, 85(2).

- Pérez Carballo, A. (2006). A first shot at the proviso problem. Ms. MIT.
- 1025 van Rooij, R. (2007). Strengthening Conditional Presuppositions. *Journal of Semantics*, 24(3):289.
- van der Sandt, R. (1992). Presupposition projection as anaphora resolution. *Journal of Semantics*, 9:333–377.
- Schlenker, P. (2007). Anti-dynamics: presupposition projection without dynamic semantics. *Journal of Logic, Language and Information*, 16(3):325–356.
- 1030 Schlenker, P. (2008a). *Be Articulate: A Pragmatic Theory of Presupposition Projection*. *Theoretical Linguistics*.
- Schlenker, P. (2008b). Local Contexts. Ms. IJN and NYU.
- Schwarzschild, R. (1993). Plurals, presuppositions and the sources of distributivity. *Natural Language Semantics*, 2(3):201–248.
- 1035 Soames, S. (1989). Presupposition. In Gabbay, D. and Guenther, F., editors, *Handbook of Philosophical Logic*, volume IV, pages 553–616. Reidel, Dordrecht.
- Stalnaker, R. C. (1970). Pragmatics. *Synthese*, 22(1):272–289.
- Stalnaker, R. C. (1973). Presuppositions. *Journal of Philosophical Logic*, 2(4):447–457.
- Stalnaker, R. C. (1974). Pragmatic presuppositions. *Semantics and Philosophy*, pages 197–214.
- 1040 Torrens, D., Thompson, V., and Cramer, K. (1999). Individual differences and the belief bias effect: Mental models, logical necessity, and abstract reasoning. *Thinking & Reasoning*, 5(1):1–28.